



CERTIFICATE OF REGISTRATION

This is to certify that the construction product:

Marine Plywood

Intended for use in marine craft and in extreme climates in applications such as vehicle bodies and general building work. **The product is not suitable for use in Structural or Constructional Applications.** The scope of certification is given in the Table below:

Species	Kedondong (<i>Canarium euphyllum</i>) Kelat (<i>Syzygium napiforme</i>) Keledang (<i>Artocarpus anisophyllus</i>) Keruing (<i>Dipterocarpus borneensis</i>) Medang (<i>Cinnamomum iners</i>)
Adhesive Type(s)	100% Phenol Formaldehyde
Formaldehyde Class	E1
Plywood Type	Standard; Balanced
Durability	Class 3 or Better
Minimum Nominal Density	$\geq 500 \text{ kg/m}^3$
Thickness(es) (mm)	9; 12; 15; 18; 25

Produced by:

VC Ventures Resources Sdn. Bhd.
No. 1428, Lorong Bakau 2, Taman
Industri Perabot Sungai Baong
14200 Sungai Jawi
Penang
Malaysia

In the Factory at:

VC Ventures Resources Sdn. Bhd., Plot A26, Lorong Bakau, Kawasan Perusahaan Perabot Sungai Baong, 14200 Sungai Bakap, S.P.S., Penang, Malaysia

meets the selected requirements of BS 1088 - "Marine Plywood - Requirements", and the BM TRADA Q-Mark Scheme for Marine Plywood.

The company agrees to manufacture the product in accordance with the Scheme requirements and to use the Scheme Mark in accordance with the applicable Requirements.



Steve Roberts
Product Certification Operations Manager
For and on behalf of BM TRADA

Certificate Number

Marine-003

Date of Initial Certification:

3 May 2017

Date of Last Issue:

8 August 2022

Date of Expiry:

2 May 2023

BM TRADA is a trading name of Warringtonfire Testing and Certification Limited, Chiltern House, Stocking Lane, High Wycombe, Buckinghamshire, HP14 4ND, UK
Registered Office: Warringtonfire Testing and Certification Limited, 3rd Floor, Davidson Building, 5 Southampton Street, London, WC2E 7HA, UK
Reg No. 11371436.

This certificate remains the property of Warringtonfire Testing and Certification Limited. This certificate and all copies or reproductions of the certificate shall be returned to Warringtonfire Testing and Certification Limited or destroyed if requested. Further clarification regarding the scope of this certificate and verification of the certificate is available through BM TRADA or at the above address or at www.bmtrada.com